


**JOHANNESBURG ROAD  
AGENCY SPECIFICATIONS**



[Johannesburg Roads Agency \(Pty\) Ltd](#)

Johannesburg Roads Agency is a (Pty) Ltd company with the City of Johannesburg as the sole share holder.

The JRA is a world-class company which manages and develops a balanced road services infrastructure to enable sustainable service delivery and movement for economic growth within the City of Johannesburg.

Johannesburg Roads Agency's primary focus is the management, development and maintenance of roadways, stormwater systems, traffic signals and the road reserve infrastructure.

This is achieved through the designing, planning, maintenance and construction of existing and new roads, stormwater and traffic signals systems and infrastructure. These functions are managed and carried out by the JRA within the current structure of the organization.

The respective departments of the JRA consists of 10 Maintenance Depots, a Road Surfacing and Asphalt section, a Construction Unit, Traffic Signals maintenance and development, Road Signs & Markings divisions, with auxiliary service departments such as HR, Finance and Admin functions.

The fleet allocated to the JRA is used in the core functions of the user group to transport employees, materials plant and equipment in the daily performance of their duties. These conclude the following:

- Road Construction and Maintenance.
- Storm Water System Construction and Maintenance.
- Traffic Signals Infrastructure Development, Maintenance and Repairs.
- Traffic Signs & Markings Infrastructure Development Maintenance.
- Railway Siding Maintenance.
- Conveying of JRA Employees, Plant and Equipment to worksites.
- Messenger and Roads Infrastructure Inspection duties.

Johannesburg Roads Agency fleet of vehicles operate under conditions ranging from normal, moderate to severe roads and construction site terrain (depending on the application of the vehicle concerned).

**JOHANNESBURG ROADS AGENCY**

**VEHICLE SPECIFICATION FORM**

<b>USER GROUP:</b> Johannesburg Roads Agency
<b>VEHICLE CATEGORY:</b> LDV0.5 Transmission : Manual
<b>VEHICLE FUNCTION / APPLICATION</b>
<b>APPLICATION:-</b> moderate – severe terrain
<b>VEHICLE COLOUR REQUIRED:</b> WHITE
<b>STANDARD CONTRACT OBLIGATIONS:</b> As per contractual obligations
<b>ACCESSORIES:</b> <ul style="list-style-type: none"><li>• Decals</li><li>• First Aid Kit</li><li>• fire extinguisher 1kg</li><li>• Telematics</li><li>• Radio/bluetooth</li></ul>
<b><u>SPECIAL REQUIREMENTS:</u></b>
<b>TICK APPLICABLE REQUIREMENTS</b> <ul style="list-style-type: none"><li><input type="checkbox"/> Step ladder and roof carrier with tie straps</li><li><input type="checkbox"/> 50mm ball and pin tow bar</li><li><input type="checkbox"/> Amber emergency light (magnetic / fitted)</li><li><input type="checkbox"/> Sliding windows on canopy</li><li><input type="checkbox"/> No side windows on canopy</li><li><input type="checkbox"/> Fold down benches</li><li><input type="checkbox"/> Search light</li><li><input type="checkbox"/> Normal ladder</li><li><input type="checkbox"/> radio Bluetooth</li><li><input type="checkbox"/> Spare wheel lock</li></ul>

**SPECIAL REQUIREMENTS (continued):**

- Wheel lock nuts and key
- Mud flaps
- Head lamp shield
- Bull bar
- Alarm / immobilizer
- Load rubber mats
- Full steel canopy with double door
- Full steel canopy with half door
- Full steel canopy with single door
- Full fiberglass canopy with double door
- Full fiberglass canopy with half door
- Full fiberglass canopy with single door
- Half steel canopy with double door
- Half steel canopy with half door
- Half steel canopy with single door
- Half fiberglass canopy with double door
- Half fiberglass canopy with half door
- Half fiberglass canopy with single door
- Amber hazard light – BAR TYPE
- Tool box load body (full)
- Tool box load body (half)
- Tool box load body (small)
- Roller shutter door

**Number of vehicles : 60**

**KILOMETERS UTILISED: 2500km p/m**

**HOURS OF USAGE (DVWH) : 8hr /7days**

**NATURE OF APPLICATION FOR THIS VEHICLE CATEGORY:**

Standard support work for JRA employees conveying staff; general operational duties; inspectors; traffic signals, signs and markings; maintenance and repairs.

**VEHICLE SPECIFIC (DESIGN) TO USER SPECIFICATION:**

As specified

- Existing Load bodies to be measured example Traffic signals, construction and Road marking

JOHANNESBURG ROADS AGENCY

VEHICLE SPECIFICATION FORM

User Group	: JOHANNESBURG ROADS AGENCY
VEHICLE CATEGORY	: CAR 1600 – 1800 cc
Transmission :	Automatic / Manual
VEHICLE FUNCTION/APPLICATION :	
APPLICATION:-	normal – moderate terrain
VEHICLE COLOUR REQUIRED	: White
SPECIALISED FITMENTS	: Standard Contractual Obligations
ACCESSORIES	: <ul style="list-style-type: none"> <li>• First Aid Kit</li> <li>• Fire Extinguisher (1 kg)</li> <li>• Decals</li> <li>• Telematics</li> <li>• Radio/Bluetooth</li> <li>• Towbar</li> <li>• Emergency Light Bar (Amber) magnetic or fitted</li> </ul>
TICK APPLICABLE REQUIREMENT	<input type="checkbox"/> Wheel Lock Nut and Key <input type="checkbox"/> Alarm / Immobiliser <input type="checkbox"/> Radio / Tape Bluetooth
Number of Vehicles :	30
KILOMETRES UTILISED	: 1800 – 2500 km PER MONTH
HOURS OF USAGE (DVWH) :	8hr /7days
NATURE OF APPLICATION FOR THIS VEHICLE CATEGORY	
As per Application	Standard work vehicle for Johannesburg Roads Agency for general purpose work ie. conveying of staff, general operations, messenger and inspection duties, traffic signals and signs.
VEHICLE SPECIFIC (DESIGN) TO USER SPECIFICATION:	As Specified

**JOHANNESBURG ROADS AGENCY**

**VEHICLE SPECIFICATION FORM**

<b>USER GROUP:</b> Johannesburg Roads Agency
<b>VEHICLE CATEGORY:</b> LDV1 – 1 TON LDV 2.5L Turbo diesel or Greater <b>Transmission :</b> Automatic /Manual
<b>VEHICLE FUNCTION / APPLICATION :</b>
<b>APPLICATION:-</b> moderate – severe terrain
<b>VEHICLE COLOUR REQUIRED:</b> WHITE
<b>STANDARD CONTRACT OBLIGATIONS:</b> As per contractual obligations
<b>ACCESSORIES:</b> <ul style="list-style-type: none"><li>• First Aid Kit</li><li>• Fire Extinguisher (1 kg )</li><li>• Decals</li><li>• Telematic</li><li>• Radio/bluetooth</li></ul>
<b><u>SPECIAL REQUIREMENTS:</u></b>
<b><u>TICK APPLICABLE REQUIREMENTS</u></b> <ul style="list-style-type: none"><li><input type="checkbox"/> Step ladder and roof carrier with the straps</li><li><input type="checkbox"/> 50mm ball and pin tow bar</li><li><input type="checkbox"/> Sliding windows on canopy</li><li><input type="checkbox"/> No side windows on canopy</li><li><input type="checkbox"/> Amber emergency light (fitted / magnetic)</li><li><input type="checkbox"/> Fold down benches</li><li><input type="checkbox"/> Wynch</li><li><input type="checkbox"/> Search light</li><li><input type="checkbox"/> Normal ladder</li><li><input type="checkbox"/> Spare wheel lock</li></ul>

**SPECIAL REQUIREMENTS (continued):**

- Wheel lock nuts and key
- Mud flaps
- Head lamp shield
- Bull bar
- Alarm / immobilizer
- Load rubber mats
- Full steel canopy with double door
- Full steel canopy with half door
- Full steel canopy with single door
- Full fiberglass canopy with double door
- Full fiberglass canopy with half door
- Full fiberglass canopy with single door
- Half steel canopy with double door
- Half steel canopy with half door
- Half steel canopy with single door
- Half fiberglass canopy with double door
- Half fiberglass canopy with half door
- Half fiberglass canopy with single door
- Removable full / half tarpaulin cover canopy roll down rear flap 300mm above roof, seating both sides
- Diff lock
- Power steering
- Alloy wheels
- Central locking
- Air conditioner
- Amber hazard light – BAR TYPE
- Tool box load body (full)
- Tool box load body (half)
- Tool box load body (small)
- Roller shutter door

Number of Vehicles : 40 Manual

10 Automatic

Total

50

**KILOMETERS UTILISED:** 2000km – 2500km p/m

**HOURS OF USAGE (DVWH) :** : 8hr /7days


**NATURE OF APPLICATION FOR THIS VEHICLE CATEGORY:**

**As per application JRA VAD COJ 2**

Standard support work for JRA employees conveying staff; general operational duties; inspectors; traffic signals, signs and markings; maintenance and repairs.

**VEHICLE SPECIFIC (DESIGN) TO USER SPECIFICATION:**  
As specified

- Existing Load bodies to be measured example Traffic signals, construction and Road marking



**JOHANNESBURG ROADS AGENCY**

**VEHICLE SPECIFICATION FORM**

<b>USER GROUP:</b> Johannesburg Roads Agency
<b>VEHICLE CATEGORY:</b> LDV 1 ton 2.5 L Turbo Diesel or Greater Single cab high rider Transmission : Automatic
<b>VEHICLE FUNCTION / APPLICATION :</b>
<b>APPLICATION:-</b> moderate – severe terrain 4 Roving Mechanics
<b>VEHICLE COLOUR REQUIRED:</b> WHITE
<b>STANDARD CONTRACT OBLIGATIONS:</b> As per contractual obligations
<b>ACCESSORIES:</b> <ul style="list-style-type: none"><li>• First Aid Kit</li><li>• Fire Extinguisher (1 kg )</li><li>• Decals</li><li>• Telematic</li><li>• Rubberized load body</li></ul>
<b>SPECIAL REQUIREMENTS:</b>
<b>TICK APPLICABLE REQUIREMENTS</b> <ul style="list-style-type: none"><li><input type="checkbox"/> Step ladder and roof carrier with tie straps</li><li><input type="checkbox"/> 50mm ball and pin tow bar</li><li><input type="checkbox"/> Sliding windows on canopy</li><li><input type="checkbox"/> No side windows on canopy</li><li><input type="checkbox"/> Amber emergency light (fitted / magnetic)</li><li><input type="checkbox"/> Wynch</li><li><input type="checkbox"/> Search light</li><li><input type="checkbox"/> Normal ladder</li><li><input type="checkbox"/> Radio/Bluetooth</li><li><input type="checkbox"/> Spare wheel lock</li></ul>

**SPECIAL REQUIREMENTS (continued):**

- Wheel lock nuts and key
- Mud flaps
- Head lamp shield
- Bull bar
- Alarm / immobilizer
- Full steel canopy with double door
- Full steel canopy with half door
- Full steel canopy with single door
- Full fiberglass canopy with double door
- Full fiberglass canopy with half door
- Full fiberglass canopy with single door
- Half steel canopy with double door
- Half steel canopy with half door
- Half steel canopy with single door
- Half fiberglass canopy with double door
- Half fiberglass canopy with half door
- Half fiberglass canopy with single door
- Removable full / half tarpaulin cover canopy roll down rear flap 300mm above roof, seating both sides
- Diff lock
- Power steering
- Alloy wheels
- Central locking
- Air conditioner
- Amber hazard light – BAR TYPE
- Tool box load body (full)
- Tool box load body (half)
- Tool box load body (small)
- Roller shutter door

Number of vehicles : 4

KILOMETERS UTILISED: 2000km – 2500km p/m

HOURS OF USAGE (DVWH) : : 8hr /7days

**NATURE OF APPLICATION FOR THIS VEHICLE CATEGORY:**

**As per application**

Standard support work for JRA employees conveying staff; general operational duties; inspectors; traffic signals, signs and markings; maintenance and repairs of yellow plant.

**JOHANNESBURG ROADS AGENCY**

**VEHICLE SPECIFICATION FORM**

**USER GROUP:** Johannesburg Roads Agency

**VEHICLE CATEGORY:** LDV Double Cab 4 x 2 2100cc – 2500cc diesel Greater  
Transmission : Manual /Automatic

**VEHICLE FUNCTION / APPLICATION :**

**APPLICATION:-** moderate – severe terrain

**VEHICLE COLOUR REQUIRED:** WHITE

**STANDARD CONTRACT OBLIGATIONS:**  
As per contractual obligations

**ACCESSORIES:**

- First Aid Kit
- fire extinguisher 2.5kg
- Telematics
- Decals
- Rubberizing
- Light bar

**SPECIAL REQUIREMENTS:**

**TICK APPLICABLE REQUIREMENTS**

- Step ladder and roof carrier with tie straps
- 50mm ball and pin tow bar
- Sliding windows on canopy
- No side windows on canopy
- Amber emergency light (fitted / magnetic)
- Fold down benches
- Wynch
- Search light
- Normal ladder
- Radio/Bluetooth
- Spare wheel lock

**SPECIAL REQUIREMENTS (continued):**

- Wheel lock nuts and key
- Mud flaps
- Head lamp shield
- Bull bar
- Alarm / immobilizer
- Load rubber mats
- Full steel canopy with double door
- Full steel canopy with half door
- Full steel canopy with single door
- Full fiberglass canopy with double door
- Full fiberglass canopy with half door
- Full fiberglass canopy with single door
- Half steel canopy with double door
- Half steel canopy with half door
- Half steel canopy with single door
- Half fiberglass canopy with double door
- Half fiberglass canopy with half door
- Half fiberglass canopy with single door
- Removable full / half tarpaulin cover canopy roll down rear flap 300mm above roof, seating both sides
- Diff lock
- Power steering
- Alloy wheels
- Central locking
- Air conditioner
- Amber hazard light – BAR TYPE
- Tool box load body (full)
- Tool box load body (half)
- Tool box load body (small)
- Roller shutter door

**Number of vehicles : 51**

**KILOMETERS UTILISED: 2000 km – 2500 km p/m**

**HOURS OF USAGE (DVWH) : : 8hr /7days**

**NATURE OF APPLICATION FOR THIS VEHICLE CATEGORY:**

**As per application**

Standard support work for JRA employees conveying staff; general operational duties; inspectors; traffic signals, signs and markings; maintenance and repairs.

**VEHICLE SPECIFIC (DESIGN) TO USER SPECIFICATION:**

As specified

- Existing Load bodies to be measured example Traffic signals, construction and Road marking

**JOHANNESBURG ROADS AGENCY**

**VEHICLE SPECIFICATION FORM**

**User Group :** Johannesburg Roads Agency

**VEHICLE DESCRIPTION :** 7 SEATER

**Transmission :** Manual

**APPLICATION:-** moderate – severe terrain

**VEHICLE FUNCTIONALITY/APPLICATION**

**Staff Transport from depots & Traffic Counting**

**Vehicle Colour required:** White

**Specialised Fitments/Accessories:**

- Decals,
- Fire Extinguisher,
- First Aid Kit,
- Telematics
- Radio/ Bluetooth
- Light bar

**Number of Vehicles :** 5

**Kilometres utilised** : 2500km per month

**Hours of usage :** 8hr /7days

**JOHANNESBURG ROADS AGENCY**

**VEHICLE SPECIFICATION FORM**

**User Group :** Johannesburg Roads Agency

**VEHICLE DESCRIPTION :** 9 SEATER

**Transmission :** Manual

**APPLICATION:-** moderate – severe terrain

**VEHICLE FUNCTIONALITY/APPLICATION**

**Staff Transport from depots**

**Vehicle Colour required:** White

**Specialised Fitments/Accessories:**

- Decals,
- Fire Extinguisher,
- First Aid Kit,
- Telematics
- Radio/ Bluetooth
- Light bar

**Number of Vehicles :** 2

**Kilometres utilised:** 1500km per month

**Hours of usage :** 8hr /7days

**JOHANNESBURG ROADS AGENCY  
VEHICLE SPECIFICATION FORM**

<b>User Group :</b> Johannesburg Roads Agency
<b>VEHICLE DESCRIPTION</b> 14-Seat Bus <b>Transmission :</b> Manual
<b>VEHICLE FUNCTIONALITY/APPLICATION</b> Internal Transport and transporting of Guards
<b>Vehicle Colour required:</b> White
<b>Specialised Fittings/Accessories:</b> <ul style="list-style-type: none"><li>• Decals,</li><li>• Fire Extinguisher (2.5kg),</li><li>• First Aid Kit,</li><li>• Telematics</li><li>• Reflective Tape,</li><li>• Towbar, Ball,</li><li>• Pin, Plug</li><li>• Radio/Bluetooth</li><li>• Light bar</li></ul>
<b>Number of Vehicles:</b> 2 <b>Internal Transport –</b>
<b>Kilometres utilised</b> : Internal Transport - 1700km per month
<b>Hours of usage :</b> 8hr /7days

**JOHANNESBURG ROADS AGENCY  
VEHICLE SPECIFICATION FORM**

<b>User Group :</b> Johannesburg Roads Agency
<b>VEHICLE DESCRIPTION:</b> Panel Van – medium 2100cc – 2500cc Diesel
<b>Transmission :</b> Manual
<b>VEHICLE FUNCTIONALITY/APPLICATION</b> Traffic count and transporting traffic signals
<b>Vehicle Colour required:</b> White
<b>Specialised Fittings/Accessories:</b> <ul style="list-style-type: none"><li>• Decals</li><li>• Fire Extinguisher (2.5kg)</li><li>• First Aid Kit,</li><li>• Telematics</li><li>• Reflective Tape,</li><li>• Towbar,Ball,</li><li>• Pin,Plug</li><li>• 1 Row Seats</li><li>• Radio/Bluetooth</li><li>• Rotating bar light</li></ul>
<b>Number of Vehicles:</b> 2 ✓
<b>Kilometres utilised</b>
2500 km per month
<b>Hours of usage :</b> 8hr /7days

**JOHANNESBURG ROADS AGENCY  
VEHICLE SPECIFICATION FORM**

<b>User Group :</b> Johannesburg Roads Agency
<b>VEHICLE DESCRIPTION</b> 22-Seat Bus <b>Transmission :</b> Manual / AUTOMATIC
<b>VEHICLE FUNCTIONALITY/APPLICATION</b> Internal Transport and transporting of Guards
<b>Vehicle Colour required:</b> White
<b>Specialised Fitments/Accessories:</b> <ul style="list-style-type: none"><li>• Decals,</li><li>• Fire Extinguisher (2.5kg),</li><li>• First Aid Kit,</li><li>• Telematics</li><li>• Reflective Tape,</li><li>• Towbar, Ball,</li><li>• Pin, Plug</li><li>• Radio/Bluetooth</li><li>• Light bar</li><li>• AIRCORN</li></ul>
<b>Number of Vehicles:</b> 2
<b>Internal Transport –</b>
<b>Kilometres utilised</b> : Internal Transport - 1700km per month
<b>Hours of usage :</b> 8hr /7days

**VEHICLE SPECIFICATION FORM**

<b>USER GROUP:</b> Johannesburg Roads Agency
<b>VEHICLE CATEGORY:</b> 4T on flat body drop side double cab truck
<b>VEHICLE FUNCTION:</b>
<b>VEHICLE APPLICATION:</b>
<b>VEHICLE COLOUR REQUIRED:</b> White
<b>SPECIALISED FITMENTS:</b> As per standard contract obligation
<b>ACCESSORIES:</b> <ul style="list-style-type: none"><li>▪ First Aid Kit</li><li>▪ Fire extinguisher - 7kg (Mounted in cab)</li><li>▪ Decals</li><li>▪ Telematics</li><li>▪ Radio/Bluetooth</li></ul>
<b><u>SPECIAL REQUIREMENTS:</u></b>
<b><u>Tick applicable requirement</u></b> <ul style="list-style-type: none"><li><input type="checkbox"/> Drop side</li></ul>
<b><u>Tick applicable requirement</u></b> <ul style="list-style-type: none"><li><input type="checkbox"/> 50mm Ball and Pin tow-bar</li><li><input type="checkbox"/> Air conditioner Spare wheel lock</li><li><input type="checkbox"/> Battery lock</li><li><input type="checkbox"/> Removable stepladder</li><li><input type="checkbox"/> Search light</li><li><input type="checkbox"/> 300mm diameter pipe for spades rakes and brooms fitted to the front of load body</li><li><input type="checkbox"/> Tool boxes mounted</li><li><input type="checkbox"/> Rear tipping loading body</li><li><input type="checkbox"/> Bulbar</li><li><input type="checkbox"/> Tail lift</li><li><input type="checkbox"/> Winch</li><li><input type="checkbox"/> Cherry Picker Platform</li><li><input type="checkbox"/> Canvas Load body cover</li><li><input type="checkbox"/> Load body divider</li></ul>
<b>Chose one only of the following</b> <ul style="list-style-type: none"><li><input type="checkbox"/> ½ Steel canopy</li><li><input type="checkbox"/> ½ Removable canvas canopy with fold down benches</li><li><input type="checkbox"/> ½ Removable canvas canopy without benches</li></ul>

- 1/2 Steel canopy with fold down benches
  - Full steel canopy
  - Half removable canvas canopy (roll down)
- Chose one only of the following**
- Roof fitted amber hazard light-round
  - Roof fitted amber hazard light (long-bar type)
  - Canopy mount amber hazard light
- Chose one only of the following**
- Crane: mounted behind cab
  - Crane: rear mounted
- Chose one only of the following**
- Roof rack – full load body
  - Roof rack – full cab + load body

**KILOMETERS UTILISED: 2000 - 3000km per month**

Number of vehicles : 17 ✓  
7 (as per JW specification steel canopy )

**HOURS OF USAGE (DVWH): : 8hr /7days**

**NATURE OF APPLICATION FOR THIS VEHICLE CATEGORY:**  
Load and transport of sand, rocks, pre cast concrete blocks, bitumen, pre - mix tar and road paint utilized in road construction and maintenance

**VEHICLE SPECIFIC (DESIGN) TO USER SPECIFICATION:**  
As specified

**JOHANNESBURG ROADS AGENCY**

**VEHICLE SPECIFICATION FORM**

<b>USER GROUP:</b> Johannesburg Roads Agency
<b>VEHICLE CATEGORY:</b> 8 ton Double Cab drop side Transmission : Automatic
<b><u>Tick applicable requirement</u></b> <input type="checkbox"/> Rigid Vehicle <input type="checkbox"/> Truck Tractor
<b>VEHICLE FUNCTION / APPLICATION : REFERENCE:- AS PER JRA</b> <b>VEHICLE APPLICATION DOCUMENT REFERENCE JRA VAD COJ (2),</b> Load and transport of Guardrails
<b>VEHICLE COLOUR REQUIRED:</b> WHITE
<b>SPECIALISED FITMENTS:</b> Mechanism to assist to load on and off load of guard rails
<b>ACCESSORIES:</b> <ul style="list-style-type: none"><li><input type="checkbox"/> First Aid Kit</li><li><input type="checkbox"/> Fire extinguisher - 2 x 7kg Mounted</li><li><input type="checkbox"/> Decals</li><li><input type="checkbox"/> Radio/bluetooth</li></ul>
<b><u>SPECIAL REQUIREMENTS:</u></b> <ul style="list-style-type: none"><li><input type="checkbox"/> <b><u>Tick applicable requirement</u></b></li><li><input type="checkbox"/> Drop side</li><li><input type="checkbox"/> Tanker</li><li><input type="checkbox"/> <b><u>Tick applicable requirement</u></b><ul style="list-style-type: none"><li><input type="checkbox"/> Pin tow-bar</li><li><input type="checkbox"/> Air conditioner</li><li><input type="checkbox"/> Spare wheel lock</li><li><input type="checkbox"/> Battery lock</li><li><input type="checkbox"/> Removable stepladder</li><li><input type="checkbox"/> ½ Steel canopy</li><li><input type="checkbox"/> Full steel canopy</li></ul></li></ul>

- Search light
- Half removable canvas canopy (roll down)
- 300mm diameter pipe for spades rakes broom fitted to the front of load body
- Tool boxes mounted
- Roof fitted hazard light-round
- Canopy mount hazard light
- Rear tipping loading body
- Crane : mounted behind cab
- Crane: rear mounted
- ½ Removable canvas canopy with fold down benches
- ½ Removable canvas canopy without Benches
- ½ Steel canopy with fold down benches
- Roof rack – full load body
- Roof rack – full cab + load body
- Bulbar
- Tail lift
- Winch
- PTO
- Cherry Picker
- Cherry Picker Platform
- Roof fitted hazard amber light
- Load body divider – separate staff from goods loaded
- With canvas/tarpaulin cover

**Number of vehicles : 8**

**KILOMETERS UTILISED: 2000-3000km per month**

**HOURS OF USAGE (DVWH) : : 8hr /7days**

**NATURE OF APPLICATION FOR THIS VEHICLE CATEGORY:**

**AS PER JRA -**

Load and transport of Guardrails

**VEHICLE SPECIFIC (DESIGN) TO USER SPECIFICATION:**

As specified

<b>User Group</b> (Regional Patrol)	<b>: JMPD/JRA</b>
<b>VEHICLE CATEGORY</b>	<b>: CAR 2000cc – 3000 cc</b>
<b>Transmission :</b>	<b>Automatic</b>
<b>Vehicle function/ application:-</b>	<b>COJ(2) - F - JMPD</b>
<b>Vehicle Colour required:</b>	<b>WHITE</b>
<b>Specialised Fitments :</b>	
	<ul style="list-style-type: none"> <li>• Vehicles marked in full JMPD corporate markings</li> </ul>
<b>Accessories :</b>	
	<ul style="list-style-type: none"> <li>• LED blue Lights (Emergency Light bar &amp; Take down lights Alley lights),</li> <li>• Siren PA,</li> <li>• Two-way radio,</li> <li>• Fire extinguisher,</li> <li>• Hideaway Strobes,</li> </ul>
<b><u>Special Requirements:</u></b>	
<b>Number of Vehicles:</b>	<b>2</b>
<b>Kilometres utilised</b>	<b>: 5000km/m</b>
<b>Hours of usage (DVWH)</b>	<b>24 Hrs</b>

**VEHICLE SPECIFIC (DESIGN) TO USER SPECIFICATION:**

As specified

**JOHANNESBURG ROADS AGENCY**

**VEHICLE SPECIFICATION FORM**

**USER GROUP:** Johannesburg Roads Agency

**VEHICLE CATEGORY:** 1 TON LDV Double Cab 4X4 3.0 diesel or Greater

Transmission : Manual

**VEHICLE FUNCTION / APPLICATION :**

**APPLICATION:-** moderate – severe terrain – security response Regional operation

**VEHICLE COLOUR REQUIRED:** WHITE

**STANDARD CONTRACT OBLIGATIONS:**

As per contractual obligations

**ACCESSORIES:**

- First Aid Kit
- Fire extinguisher 2.5kg
- Rubberize body load
- Decals
- Air conditioner

**SPECIAL REQUIREMENTS:**

**TICK APPLICABLE REQUIREMENTS**

- Step ladder and roof carrier with the straps
- 50mm ball and pin tow bar
- Sliding windows on canopy
- No side windows on canopy
- Amber emergency light bar (fitted / )
- Wynch
- Search light
- Normal ladder
- Radio/Bluetooth
- Spare wheel lock

**SPECIAL REQUIREMENTS (continued):**

- Wheel lock nuts and key
- Mud flaps
- Head lamp shield
- Bull bar
- Alarm / immobilizer
- Load rubber mats
- Full steel canopy with double door
- Full steel canopy with half door
- Full steel canopy with single door
- Full fiberglass canopy with double door
- Full fiberglass canopy with half door
- Full fiberglass canopy with single door
- Half steel canopy with double door
- Half steel canopy with half door
- Half steel canopy with single door
- Half fiberglass canopy with double door
- Half fiberglass canopy with half door
- Half fiberglass canopy with single door
- Removable full / half tarpaulin cover canopy roll down rear flap 300mm above roof, seating both sides
- Diff lock
- Power steering
- Alloy wheels
- Central locking
- Amber hazard light – BAR TYPE
- Tool box load body (full)
- Tool box load body (half)
- Tool box load body (small)
- Roller shutter door

Number of vehicles : ~~4~~ 3

KILOMETERS UTILISED: 5000km p/m

HOURS OF USAGE (DVWH) : : 24hr /7days

**NATURE OF APPLICATION FOR THIS VEHICLE CATEGORY:**

**As per application JRA VAD COJ 2**

Standard support work for JRA employees conveying staff; general operational duties; inspectors; traffic signals; signs and markings; maintenance and repairs.

**JOHANNESBURG ROADS AGENCY**

**VEHICLE SPECIFICATION FORM**

<b>USER GROUP:</b> JMPD/ Johannesburg Roads Agency
<b>VEHICLE CATEGORY:</b> 1 TON LDV Double Cab 4X4 3.0 diesel or Greater Transmission : Automatic
<b>VEHICLE FUNCTION / APPLICATION :</b>
<b>APPLICATION:-</b> moderate – severe terrain – security response Regional operation
<b>VEHICLE COLOUR REQUIRED:</b> WHITE
<b>STANDARD CONTRACT OBLIGATIONS:</b> As per contractual obligations
<b>ACCESSORIES:</b>
<b>TYPE A</b> <ul style="list-style-type: none"><li>• <b>DECALS</b> (as per JMPD specification for Operational vehicle function)</li><li>• <b>LED blue Lights</b> (Emergency Light bar &amp; Take down lights Alley lights)</li><li>• <b>Siren / PA</b></li><li>• <b>Two-way radio</b></li><li>• <b>Fire extinguisher</b></li><li>• <b>Tow bar</b> (Ball &amp; Pin type)</li><li>• <b>Canopy</b> (JMPD specification)</li><li>• <b>Spare Wheel lock</b></li></ul>
<b>Special Requirements:-</b>  The vehicle should meet the following baseline criteria: Power = <u>80kw@3500rpm</u> Torque = <u>257Nm@2000rpm</u>
<b>Number of vehicles : 12</b>
<b>KILOMETERS UTILISED:</b> 2000km – 2500km p/m
<b>HOURS OF USAGE (DVWH) : :</b> 8hr /7days

**NATURE OF APPLICATION FOR THIS VEHICLE CATEGORY:**  
**As per application JRA VAD COJ 2**  
Standard support work for JRA employees conveying staff; general operational duties; inspectors; traffic signals, signs and markings; maintenance and repairs.

